คู่มือการตั้งค่า Authentication LAN บห MacOS

1.เมื่อเสียบสาย LAN จะมีหน้าต่าง Authentication 802.1x ขึ้นมา



2.drop down list เลือก No certification selected





3.ใส่ username และ password ที่อยู่บน AD (รหัสเดียวกันกับ Intranet และ Wi-Fi)

4.กด Continue เพื่อยืนยัน Cert



5.ใส่ username และ password ของตัวเครื่อง



ขั้นตอนการ log out ถ้าต้องการใส่ username และ password ใหม่

1.Search keychain Access ขึ้นมา



2.จะมีหน้าต่างตามรูปด้านล่างขึ้นมา

	000 + 0					
	Kaychains iii login ii: Local Items ii: System System Roots	Default Kind: 802.1X Password Account: 5490177 Where: com.apple.network.eap.user.item.de Modified: Today, 14:34	fault			
		Name	Kind o	Date Modified	Expires	
		🦾 Default	802.1X Password	Today, 14:34	**	
		L. RSU-NET	802.1X Password	5 Nov BE 2561 15:47:07	**	
		4. Adobe.APS	application password	14 Dec BE 2561 16:22:21		
		Adobe.APS	application password	29 Jan BE 2562 10:26:05	**	
		2. Apple Persistent State Encryption	application password	Today, 11:56		
		2. Chrome Safe Storage	application password	4 Oct BE 2561 10:38:00		
		com.apple.account.idms.heartbeat-token	application password	24 Apr BE 2562 10:45:04	**	
		2 com.apple.account.idms.token	application password	24 Apr BE 2562 10:45:04		
	Category	Com.apple.assistant	application password	4 Oct BE 2561 10:33:37		
	S All Itoms	com.apple.assistant	application password	Today, 12:08		
	/ Decouerde	com.apple.assistant	application password	Today, 12:08		and the second se
Carlos and	C., Passwords	com.apple.assistant	application password	Today, 12:08		
and and the	Secure Notes	C. com.apple.assistant	application password	Today, 12:45		and the second sec
and the state	My Certificates	com.apple.facetime: registrationV1	application password	Today, 12:04	**	
Mar and	W Keys	com.apple.gs.appleid.at.AppleIDAuthentication.token	application password	24 Apr BE 2562 10:45:04		and the second se
and and	Certificates	com.apple.gs.appleid.at.AppleIDAuthentication.token	application password	2 Jul BE 2562 11:09:40	**	
and the second		2 com.apple.gs.authagentAppleIDAuthentication.token	application password	24 Apr BE 2562 10:45:04		
		com.apple.gs.authagentAppleIDAuthentication.token	application password	2 Jul BE 2562 11:09:40		
		com.apple.gs.beta.authAppleIDAuthentication.token	application password	24 Apr BE 2562 10:45:04		
1.		com.apple.gs.beta.authAppleIDAuthentication.token	application password	2 Jul BE 2562 11:09:40		
		C., com.apple.gs.dip.auth.cAppleIDAuthentication.token	application password	24 Apr BE 2562 10:45:04		
		Com.apple.gs.dip.auth.cAppleIDAuthentication.token	application password	2 Jul BE 2562 11:09:40	-	
		/ com.apple.gs.global.autAppleIDAuthentication.token	application password	24 Apr BE 2562 10:45:04		

3.ลบตัว Default ออก

is File Edit View	window Help	-	_			
••• + ①			Q, 3	Search		Adobe Basic 20 Mac
Keychains i login i Locai Items System System Roots	Default Kind: 802.1X Password Accessit: 5409177 Where: com.apple.network.eap.user/item.d Molified: Today, 14:34	afault				Adobe Full 20
	Name	Kind -	Date Modified	Expires		Mar.
	/ Default	802 1X Password	Today, 14:34			
	L RSU-NET	802.1X Password	5 Nov BE 2561	Copy Password to Clipboard		
	4 Adobe APS	application password	14 Dec 8E 256	Copy "Default"		
	L. Adobe.APS	application password	29 Jan BE 256	Delete "Default"		
	2. Apple Persistent State Encryption	application password	Today, 11:56	Contractory Contractor		
	Chrome Safe Storage	application password	4 Oct BE 2561	Get Info		
	L. com.apple.account.idms.heartbeat-token	application password	24 Apr BE 2562	10.40.04	and the second se	and the second se
	com.apple.account.idms.token	application password	24 Apr BE 2862	10:45:04		
Category	C. com.apple.assistant	application password	4 Oct BE 2561 1	0:33:37		
9 All Items	C. com.apple.assistant	application password	Today, 12:08	**		
/ Descentede	C. com.apple.assistant	application password	Today, 12:08			Serve.
C., Passwords	C. com.apple.assistant	application password	Today, 12:08		and the second	
Secure Notes	L, com.apple.assistant	application password	Today, 12:45	-	and the second se	
My Certificates	Com.apple.facetime: registrationV1	application password	Today, 12:04	**		
V Keys	Com.apple.gs.appleid.a. t.AppleIDAuthentication.token	application password	24 Apr BE 2562	10:45:04		and an other states
Certificates	com.apple.gs.appleid.at.AppleIDAuthentication.token	application password	2 Jul BE 2562 11	109:40		100 CA 100
	C. com.apple.gs.authagentAppleIDAuthentication.teken	application password	24 Apr BE 2562	10:45:04		and the second s
	C. com appre gs.authagentAppretDAuthentication.token	application password	2 Jul 86 2562 11	109:40		
	C, com apple gs.beta.authAppleIDAuthentication.teken	application password	24 Apr 86 2662	10:45:04		
	Le com apple gs beta auth AppleiuAuthentication.teken	application password	2 308 86 2562 11	109:40		
	com apple gs.pp.aux.c Applet/Authentication token	application password	24 Mpr BE 2562 11	10.45.04		
	COM SEDIE OS OD BUTH C. ADDIBUALTHETICATOR, TOKET	A REPORT OF THE PARTY OF THE PARTY OF THE	2 JULIE 2902 11	103.40		

*หลังจากนั้น ถ้าต้องการเข้าสู่ระบบใหม่ทำตามขั้นตอนที่ 1